

PROVISION OF DRIVING SIMULATORS TO RTMC RTMC BID NO:25/2019/20

SECTION: 1

CONDITIONS AND UNDERTAKINGS BY BIDDER IN RESPECT OF THIS BID

CONDITIONS AND UNDERTAKINGS BY BIDDER IN RESPECT OF THIS BID

1. **Proprietary Information**

Road Traffic Management Corporation (RTMC) considers this bid and all related information, either written or verbal, which is provided to the bidder, to be proprietary to RTMC. It shall be kept confidential by the bidder and its officers, employees, agents and representatives. The bidder shall not disclose, publish, or advertise this specification or related information to any third party without the prior written consent of RTMC.

2. Enquiries

2.1 All communication and attempts to solicit information of any kind relative to this bid should be channeled to the email below, however such enquiries will be entertained until within ten days of publication on tender bulletin and NationI Treasury tender portal

Name	RTMC
Email Address	Bidadmin@rtmc.co.za

- 2.2 All the documentation submitted in response to this bid must be in English.
- 2.3 The RTMC may respond to any enquiry in its sole discretion and the bidder acknowledges that it will have no claim against the RTMC on the basis that its bid was disadvantaged by lack of information, or inability to resolve ambiguities.

3. Validity Period

Responses to this bid received from bidders will be valid for a period of **120 days** counted from the closing date of the bid.

4. Supplier Performance Management

- 4.1 Supplier Performance Management is viewed by the RTMC as critical component in ensuring value for money acquisition and good supplier relations between the RTMC and all its suppliers.
- 4.2 The successful bidder shall upon receipt of written notification of an award, be required to conclude a Service Level Agreement (SLA) with the RTMC, which will form an integral part of the agreement. The SLA will serve as a tool to measure, monitor and assess the supplier's performance level and ensure effective delivery of service, quality and value-add to RTMC business.

5. Instructions on submission of Bids

- 5.1 Bids should be submitted in Five (5) copies (1 original and 4 copies) and one all bound in a sealed envelope endorsed, RTMC BID 25/2019/20: Provision of driving simulators to the RTMC.
- 5.2 The sealed envelope must be placed in the bid box at the Main Reception area of the RTMC Eco Origin, Block F, 349 Witch-Hazel Street, Erf 3090, Highveld, Centurion Ext 79, 0157 by no later than 11:00 am on 22 January 2020.
- 5.3 **Compulsory briefing session** will be held on 17 December 2019 at 14h00pm at the above physical address, wherein a briefing session certificate will be issued to bidders who would have attended the briefing session.

NB: The mentioned briefing certificate must be attached on the bid document upon submission on the closing date of the bid. (Failing which will invalidate the bid)

- 5.4 The bidder's company name, closing date and the return address must also be endorsed on the envelope.
- 5.5 All bids submitted must be signed by a person or persons duly authorised thereto.
- 5.6 If a courier service company is being used for delivery of the bid document, the bid description must be endorsed on the delivery note/courier packaging to ensure that documents are delivered into the bid box. The RTMC will not be held responsible for any delays where documents are not placed in the bid box before closing time.
- 5.7 Bid received by email, facsimile or similar medium will not be considered.
- 5.8 Where a bid document is not placed in the bid box at the time of the bid closing, such a bid document will be regarded as a late bid. Late bids will not be considered.
- 5.9 Amended bids may be sent in an envelope marked "**Amendment to Bid**" and should be placed in the bid box before the closing time.
- 5.10 Bidders should check the numbers of the pages to satisfy themselves that none are missing or duplicated. No liability will be accepted by RTMC in regard to anything arising from the fact that pages are missing or duplicated

6. Undertakings by the Bidder

- 6.1 The bidder accepts that all costs incurred in preparation, presentation and any demonstration in relation to this bid shall be for the account of the bidder.
- 6.2 The bidder hereby offer to render all or any of the services described in the attached documents to the RTMC on the terms and conditions and in accordance with the specifications stipulated in this bid documents (and which shall be taken as part of, and incorporated into, this proposal at the prices inserted therein).
- 6.3 The bidder shall prepare for a possible presentation should RTMC require such and the bidder shall be notified thereof no later than 4 (four) days before the actual presentation date. Such presentation may include demonstration of products or services as called for by the RTMC in relation to this bid.
- 6.4 The successful bidder hereby accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on him/her under this agreement as the principal(s) liable for the due fulfilment of this contract.
- 6.5 The bidder furthermore confirm that he/she has satisfied himself/herself as to the correctness and validity of his/her bid response that the price(s) and rate(s) quoted cover all the work/item(s) specified in the bid response documents and that the price(s) and rate(s) cover all his/her obligations under a resulting contract and that he/she accept that any mistakes regarding price(s) and calculations will be at his/her risk

7. RTMC's Rights

- 7.1 The RTMC reserves the right not to accept the lowest bid or any bid in part or in whole. RTMC normally awards the contract to the bidder who proves to be fully capable of handling the contract and whose bid is technically acceptable and/or financially advantageous to the RTMC.
- 7.2 The RTMC also reserves the right to award this bid as a whole or in part without furnishing reasons.
- 7.3 The RTMC reserves the right to conduct a site visit at the premises of the offices or at any client sites if so required.

- 7.4 The RTMC reserves a right to amend any bid conditions, validity period, specifications, or extend the closing date of bid prior to the initially stated closing date. Bidders will be advised in writing of such amendments in good time.
- 7.5 The RTMC reserves the right to request all relevant information, agreements and other documents to verify information supplied in the bid response. The bidder hereby gives consent to the RTMC to conduct background checks on the bidding entity and any of its directors/trustees/shareholders/members.

8. Supplier Development and Promotion of Emerging Black Owned Service Provider

- **8.1** The RTMC promotes enterprise development In this regard, successful bidders are encouraged to mentor SMME's and/or Youth owned businesses. The implications of such arrangement will be be subject to negotiations between the RTMC and the successful bidder.
- **8.2** It is also the objective of the RTMC to promote transformation of the South African economy and as such, bidders are encouraged to partner with a black owned entity (being 50%+1 black owned and controlled). Such partnership may include the formation of a Joint Venture and/ or subcontracting agreement etc., where a portion of the work under this bid would be undertaken by black owned entities.
- 8.3 To give effect to this requirement, bidders are required to submit a partnership/ subcontracting proposal detailing the portion of work to be outsourced, level of involvement of the black owned partner and where relevant, submit a consolidated B-BBEE scorecard in-line with the provisions of the PPPFA Regulations which will be considered as part of the B-BBEE scoring.

DETAILS OF BIDDERS	
Name of your Company	
(in block letters)	
Signature(s) of the Bidder	Date
or assignee(s)	
Name of person signing	
(in block letters)	
Capacity	
Are you duly authorized to	
sign this Bid?	
Company Registration	
Number	
VAT Registration Number	
Postal address	
(in block letters)	
Physical address	
(in block letters)	
Domicilium citandi et exec	utandi in the RSA (full street address) (in block letters)

DETAILS OF THE CONTACT	PERSON
Name of Contact	
Person	
Telephone Number	

Fax Number	
Cellphone Number	
E-Mail Address	

10. RESPONSE FORMAT

Bidders shall submit their responses in accordance with the response format specified below (each schedule must be clearly marked):

10.1 Cover Page:

- 10.1.1 The cover page must clearly indicate the bid reference number, bid description and the bidder's name
- 10.1.2 **Annexure 1** Invitation to Bid (SBD 1 duly completed and signed)

10.2 Schedule 1:

10.2.1 Executive summary of the bidder's Company/Joint Venture/Partnership/Close

Corporation.(Agreements/ supporting documentation must be attached and any amendments post award should be approved by RTMC)

10.2.2 **Annexure 2** of this bid document (Duly completed and Signed)

10.3 Schedule 2:

10.3.1 Certified copies of your CIPC company registration documents listing all members with percentages, in case of a CC. Or latest certified copies of all share certificates in case of a company;

10.3.2 Annexure 3	Declaration of Interest (SDB 4)
10.3.3 Annexure 4	Declaration of Bidders Past SCM Practices (SBD 8)
10.3.4 Annexure 5	Certificate of Independent Bid Determination (SBD 9)
10.3.5 Annexure 6	Joint Venture/Consortium Agreement (In case of Consortium
	or Joint Venture)

Note: Where bidders form a Consortium or a Joint Venture, bidders must submit all documents as listed under Schedule 2 above for each party to the Consortium or Joint Venture.

10.4 Schedule 3:

10.4.1 Responses to **Section Two** of this document, in line with the format indicated in this bid document.

10.5 Schedule 4: (ENVELOPE 2)

- 10.5.1 A detailed pricing schedule breakdown for the bid including any supporting schedules on price determination. **The price schedule must be submitted on a separate sealed envelope.**
- 10.5.2 Annexure 7 Price Schedule Summary (SBD 3.3)
- 10.5.3 **Annexure 8** Preferential Point Claim (SBD 6.1) and B-BBEE Certificate verified by a SANAS accredited verification agency or a letter from the supplier's auditor. In case where a Joint Venture/Consortium is formed a combined B-BBEE Certificate must be provided.

11. SPECIAL INSTRUCTIONS TO BIDDERS

- **11.1** Bidders shall provide full and accurate answers to the questions posed in this document.
- **11.2** Bidders **must** substantiate their response to all questions, including full details on how their proposal/solution will address specific functional/technical requirements. All documents as indicated must be supplied as part of the bid response.
- **11.3** RTMC reserves the right to appoint more than one service provider in order to ensure prompt delivery and efficiency of the service.

12. EVALUATION CRITERIA

The bid will be evaluated on a three-stage process.

- Stage 1 will be Mandatory Requirements. Bidders who fail to meet the mandatory requirements will be disqualified from further evaluation
- (a) Stage 2 will consist of two steps which will be on Functionality Evaluation which is **100** points.
 - Step 1 will be based on written responses which will consist of 60 points. Bidders must score at least 45 points to qualify for next step.
 - Step 2 will be based on presentation and demonstration which consist of 40 points. Bidders must score at least 25 points.

Only bidders that meet the minimum requirements for Stage 2 (70 points) will be eligible for consideration in Stage 3.

• Stage 3 being on the 80/20 Preference Point System (i.e. Price and B-BBEE).

12.1 STAGE 1 – MANDATORY REQUIREMENTS

NOTE: A BIDDER WHO FAILS TO MEET THE ABOVE MANDATORY REQUIREMENT WILL BE DISQUALIFIED FROM FURTHER EVALUATION

MANDATORY REQUIREMENT (1)	Comply (Yes / No)
Bidders must be registered on National Treasury Central Supplier Data base (CSD)	
Registration on CSD (available on <u>www.csd.gov.za</u>)	
Tumelo Ntlaba - 012 406 9222	
Email: <u>CSD@Treasury.gov.za</u>	
Compliance requirement:	
CSD report or reference number	
NB: Where bidders form a Consortium or a Joint Venture, each bidder must submit CSD number for each party to the Consortium or Joint Venture.Failure to comply with the above will result in disqualification of the bid	
STANDARD BIDDING DOCUMENTS	
Bidders must sign all SBD bidding forms attached.	
Compliance requirement:	
Signed and completed SBD forms.	
NB: Where bidders form a Consortium or a Joint Venture, each bidder must submit all documents as listed for each party to the Consortium or Joint Venture. Failure to comply with the above will result in disqualification of the bid	

NB: SBD3.3 may be completed however must be included in the financial envelope	
BRIEFING SESSION CERTIFICATE	
Submission of signed Briefing Certificate issued by RTMC as proof of attendance of compulsory briefing session.	
(In case of joint venture etc. briefing session certificate from any party	
that attended the briefing session will suffice)	

12.2 STAGE 2 – FUNCTIONALITY CRITERIA

Stage 2 will be based on written proposals and presentation which will include inspection. These shall be evaluated based on the following parameters for functionality:

Step 1: Written proposals

Requirements	Score
A. Experience and Corporate overview and Similar work done	25
A 1 Experience and Corporate overview:	
The bidder is expected to give an overview of sector specific experience in	
relation to manufacturing or supply, maintenance and training on driving	
simulators = 10 points	
Compliance requirement:	
 Company profile reflecting the following; 	
Years of experience in the sector (Specify the level of involvement	
ie, manufacturing, training, supply and maintenance etc) = 4 points	
✓ Training provided (Bidder to indicate period, clients and type of	
training provided to Facilitators / Tutors,learners or Train the Trainer	
programme) = 3 points	
✓ After sales support or maintenance $= 3$ points	
The above elements will be evaluated independently as reflected on the company	
profile using the following measurers ;	

5 - Excellent Meets and exceeds the functionality requirements 4 - Very Good Above average compliance to the requirements 3 - Good Satisfactory and should be adequate for stated element 2 - Average Compliance to the requirements 0 - Non Compliant Does not comply to the requirements 0 - Non Compliant Does not comply to the requirements NB: Company profile must clearly indicate all variables listed above for proper evaluation. A.2 Similar work done Bidden/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points • Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators • Role and Responsibilities, • Value of the contract/s • Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 15 points (c) 1 reference letter = 5 points B. Support Model 15 B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained:		
3 - Good Satisfactory and should be adequate for stated element 2 - Average Compliance to the requirements 0 - Non Compliant Does not comply to the requirements - Non Compliant Does not comply to the requirements NB: Company profile must clearly indicate all variables listed above for proper evaluation.	5 - Excellent Meets and exceeds the functionality requirements	
2 - Average Compliance to the requirements 0 - Non Compliant Does not comply to the requirements NE: Company profile must clearly indicate all variables listed above for proper evaluation. A.2 Similar work done Bidder/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points • Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators • Role and Responsibilities, • Value of the contract/s • Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: • Software support and maintenance = 4 points	4 - Very Good Above average compliance to the requirements	
0 - Non Compliant Does not comply to the requirements NB: Company profile must clearly indicate all variables listed above for proper evaluation. A.2 Similar work done Bidder/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points • Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators • Role and Responsibilities, • Value of the contract/s • Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: • Software support and maintenance = 4 points	3 - Good Satisfactory and should be adequate for stated element	
NB: Company profile must clearly indicate all variables listed above for proper evaluation. A.2 Similar work done Bidder/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators Role and Responsibilities, Value of the contract/s Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following:	2 - Average Compliance to the requirements	
evaluation. A.2 Similar work done Bidder/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s: = 15 points • Details of the service/ goods successfully rendered (supply / maintenance / training etc) in relation to sector specific experience / simulators • Role and Responsibilities, • Value of the contract/s • Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: • Software support and maintenance = 4 points	0 - Non Compliant Does not comply to the requirements	
Bidder/s are expected to attach copies of reference letters from reputable clients where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points • Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators • Role and Responsibilities, • Value of the contract/s • Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: • Software support and maintenance = 4 points		
where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points Details of the service/ goods successfully rendered (supply / maintenance / training etc) in relation to sector specific experience / simulators Role and Responsibilities, Value of the contract/s Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model 15 B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points 	A.2 Similar work done	
 Contactable References. (letter of references in letterhead of the clients signed by any authorized person The responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 points B. Support Model 15 B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points Software support and maintenance = 4 points	 where similar service were rendered. The following details must reflect in the reference letter/s:- = 15 points Details of the service/ goods successfully rendered (supply / maintenance /training etc) in relation to sector specific experience / simulators Role and Responsibilities, 	
signed by any authorized personThe responses will be evaluated based on the following: (a) 4 or more reference letters = 15 points (b) 2 to 3 reference letters = 10 points (c) 1 reference letter = 5 pointsB. Support Model15B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: 		
(a) 4 or more reference letters = 15 points(b) 2 to 3 reference letters = 10 points(c) 1 reference letter = 5 pointsB. Support Model15B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained:• Software support and maintenance = 4 points		
(b) 2 to 3 reference letters = 10 points(c) 1 reference letter = 5 pointsB. Support Model15B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: 	The responses will be evaluated based on the following:	
(c) 1 reference letter = 5 points15B. Support Model15B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: • Software support and maintenance = 4 points	(a) 4 or more reference letters = 15 points	
B. Support Model 15 B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points 	(b) 2 to 3 reference letters = 10 points	
 B1: The bidder is expected to provide after sales support and maintenance for the duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points 	(c) 1 reference letter = 5 points	
 duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points 	B. Support Model	15
	 duration of the life cycle of the Simulator, therefore a maintenance plan must be in place and outline how the following elements will be maintained: Software support and maintenance = 4 points 	

	-
 Guaranties and Warranties = 4 points 	
 Professional services = 3 points 	
NB: Refer to scope of work for more details	
Compliance requirement:	
Draft support plan / model with specific reference to the points highlighted above reflecting the following;	
Description of the service	
 Period (Frequency/ intervals of service) 	
The above elements will be evaluated independently as reflected on the draft support plan / model using the following measurers ;	
5 - Excellent Meets and exceeds the functionality requirements	
4 - Very Good Above average compliance to the requirements	
3 - Good Satisfactory and should be adequate for stated element	
2 - Average Compliance to the requirements	
0 - Non Compliant Does not comply to the requirements	
C Transfer of Skills	15
C Transfer of Skills RTMC intends to appoint trainers who are expected to provide training to the	15
RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators	15
RTMC intends to appoint trainers who are expected to provide training to the	15
RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to different sites in Provinces. As a result the bidder is	15
RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to different sites in Provinces. As a result the bidder is expected to provide training.	15
 RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to different sites in Provinces. As a result the bidder is expected to provide training. Describe your plan to transition knowledge to RTMC = 4 points 	15
 RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to diferent sites in Provinces. As a result the bidder is expected to provide training. Describe your plan to transition knowledge to RTMC = 4 points Training approach (practical and theory) = 4 points 	15
 RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to different sites in Provinces. As a result the bidder is expected to provide training. Describe your plan to transition knowledge to RTMC = 4 points Training approach (practical and theory) = 4 points List and attach training material that is normally provided = 4 points 	15
 RTMC intends to appoint trainers who are expected to provide training to the learners and also to a certain extent do basic intervention/ support to the Simulators since they will be deployed to diferent sites in Provinces. As a result the bidder is expected to provide training. Describe your plan to transition knowledge to RTMC = 4 points Training approach (practical and theory) = 4 points List and attach training material that is normally provided = 4 points Certifcate of competency = 3 points 	15

supporting documents in order to qualify for points below.	
The above elements will be evaluated independently as a result should be clearly	
defined on the Training Plan. The following measurers to be used ;	
5 - Excellent Meets and exceeds the functionality requirements	
4 - Very Good Above average compliance to the requirements	
3 - Good Satisfactory and should be adequate for stated element	
2 - Average Compliance to the requirements	
0 - Non Compliant Does not comply to the requirements	
D Financial Due Diligence	5
E1 . Bidders must demonstrate financial capacity to provide or deliver the service	
with a cashflow of R 500 000 or more.	
	5
Compliance requirement:	
 Proof of availability of funds (Financial statements) 	
OR	
• A letter from a registered financial service provider to prove financial capability	
and commitment to support the bidder	
Total	60

STEP 2 : Presentation which will include inspection

The bidder is required to make presentation to the RTMC and demonstrate the overall solution. This Step consists of 40 points of which bidders will be expected to score 25 points for further evaluation.

A 1 Presentation	30
Bidder to illustrate the functionality of the simulators as indicated on the	
specifications. This will be done through a power poit presentation at the	
premises/workshop/ showroom of the bidder: 30 points	
The points for functionality should highlight the following elements of the simulator as per bid specification	
 Features of the simulator = 5 points 	
 Capabilities and Attributes= 5 points 	
 Print and interpret performance reports= 5 points 	
Training= 5 points	
Maintenace and Support	
 Simulation Requirements= 4 points 	
 Support model/plan= 3 points 	
 ISO Requirements= 3 points 	
After power point presentation the bidder will be required to conduct a physical demonstration on the functionality of the simulator	
The above elements will be evaluated independently as reflected on the company profile using the following measurers ;	
5 - Excellent Meets and exceeds the functionality requirements	
4 - Very Good Above average compliance to the requirements	
3 - Good Satisfactory and should be adequate for stated element	
2 - Average Compliance to the requirements	
0 - Non Compliant Does not comply to the requirements	

A 2 Physical Demostration	10
The bidder to physically demonstration functionality of the simulator by indicating the following: 10 points	
 Capabilities = 4 points 	
 Management reports= 2 points 	
 Simulation Scenarios = 2 points 	
 Performance report= 2 points 	
For guidance refer to scope of work/ simulator requirement on section 2 of the document	
The above elements will be evaluated independently as reflected on the company profile using the following measurers ;	
5 - Excellent Meets and exceeds the functionality requirements	
4 - Very Good Above average compliance to the requirements	
3 - Good Satisfactory and should be adequate for stated element	
2 - Average Compliance to the requirements	
0 - Non Compliant Does not comply to the requirements	
OTAL	40

NOTE: THE MINIMUM QUALIFYING SCORE FOR OVERALL FUNCTIONAL EVALUATION IS 70 POINTS. ALL BIDDERS THAT FAIL TO ACHIEVE THE MINIMUM QUALIFYING SCORE ON FUNCTIONALITY WILL NOT BE CONSIDERED FOR FURTHER EVALUATION ON PRICE AND B-BBEE.

12.3 STAGE THREE – PRICE AND B-BBEE (PREFERENCE POINTS EVALUATION)

CRITERIA	MAXIMUM POINTS
Price	80
B-BBEE Rating	20
Grand Total	100

SECTION: 2 SPECIFICATION DETAILS AND FUNCTIONALITY REQUIREMENTS

SECTION 2: TECHNICAL REQUIREMENTS/ SPECIFICATION

1. PURPOSE

The purpose of this request is to invite suitably qualified service provider to supply 8 driving simulators to be used for the Learner Driver Education Programme.

2. PROBLEM STATEMENT

Road crashes and fatalities statistics reveal that young drivers are the group of drivers most likely to crash. There are a number of factors that can contribute to the high crash risk experienced by these drivers. While some of these factors are intrinsic to the young driver, such as their age, gender or driving skill, others relate to social factors and when or how often they drive. This includes peer pressure, overconfidence, risk-taking behaviour and lack of experience.

It is against this background that the Learner Driver Programme was developed with the main goal is to reduce the number of crashes involving young people in South Africa. This goal can be achieved through improving road safety knowledge among the school and post-school youth of the country and intensifying road safety skills at an early age in order to promote legitimate drivers. The learner driver education programmes aims at young people are designed and crafted in a manner that will improve on road safety skills, behaviour and attitude of young road users while also reaching the larger number of beneficiaries at a reasonable cost. A Learner Driver Education Programme has been developed with an aim to enhance safe driving skills among young people at an early age.

2. BACKROUND AND DISCUSSION

- 2.1 The RTMC as a lead agency in road safety initiated a Learner-Driver Education Programme with an aim of reducing road fatalities among young drivers. The target group is Grade 10 12 learners of 17 years old and above. The beneficiaries of the programme were identified jointly with the Provincial Department of Basic Education and the Provincial Department of Transport and Community Safety.
- 2.2 Schools from the previously disadvantaged rural areas were selected to participate in the Programme taking into consideration their socio-economic conditions as compared to their urban counterparts.

- 2.3 The Programme aims to expose rural learners to the current technological advancement with regards to driver training and education through the use of driving simulators. The driving simulators will be used in the training of novice drivers (Secondary School learners), put theory into practice, build confidence and improve basic driving skills in preparation for practical driving culminating to the attainment of driving licences.
- 2.4 Given the current global economic conditions and financial constraints there are limited funds available to implement all the desired projects. The driving simulator is considered the most cost-effective driver training technique that can be used as a model to reach many beneficiaries even in the far-out and isolated areas.
- 2.5 In addition to the above, the decision to use driving simulator is informed by the research studies conducted internationally indicating that the chance of passing the driving test is 5% higher for the learner drivers who followed a simulator training. It has also been proven in countries like Netherlands that simulator training leads to safer driving after passing the driving test.
- 2.6 Road Safety Education objectives can be achieved as the trainers using driving simulators have more freedom to prescribe the type, timing and frequency of driving lessons and to adapt the training to each student's capabilities. One study conducted found that professional drivers that received simulator training had 22% fewer crashes compared to those who did not undergo simulator training. The reduction in road crashes alleviate the economic burden to the country where the resources deployment can be dedicated elsewhere, and not in the crash scenes.

3. SCOPE OF WORK / MINIMUM REQUIREMENTS FOR DRIVING SIMULATORS

Bidder/s is/are required to accept all minimum requirements listed below without limitations by indicating YES or NO and append signature below as a confirmation of compliance.

Driving Simulator Scope of work / Minimum Requirements		YES or NO and Signature	
Item No.	Description	Specification	
1	Static light vehicle driving simulator	VSIM C110 or equivalent 1,8 m (length) 0,8 m (width) 1,4 m (height)	
1.1	Driving Simulator key features	 The driving simulator must have the following features: Light weight and portable; Vehicle controls based on generic controls i.e. VW, Nissan, Chevrolet, Hyundai, Kia, etc; Adapted for Right hand drive; Image Generation system with 3 screens for clear viewing and interaction between the learner and the driving simulator; Touchscreen interface to setup vehicles and different scenarios to monitor the learners driving and control the vehicle; A virtual instructor to interact and 	

		provide route guidance that assesses	
		the learner as they drive;	
		• The required driving simulator should	
		come standard with a generic	
		dashboard with all the controls	
		required for driving a real vehicle:	
		 Accelerator pedal, Brake pedal, Clutch 	
		pedal, Steering wheel, Light and	
		indicator switches , Wiper control	
		lever, Hand brake , Ignition, including	
		a vehicle key to start the simulated	
		vehicle; Switches on the dashboard to	
		operate with any of the vehicle	
		systems;	
		• The instrument cluster of the real	
		vehicle to be fitted to the simulator	
		with all the gauges, warning and	
		indicator lights functioning.	
4.0	Canability and	Concret conditions.	
1.2	Capability and	General conditions:	
1.2	Capability and Attributes	General conditions: The driving simulators should be	
1.2			
1.2		The driving simulators should be	
1.2		The driving simulators should be inclusive of the following:	
1.2		The driving simulators should be inclusive of the following:hardware (Printer / results device)	
1.2		 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, 	
1.2		 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and 	
1.2		 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a 	
1.2		 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. 	
1.2		 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator 	
	Attributes	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU 	
	Attributes Occupational Health and	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU The supplied driving simulators 	
	Attributes Occupational Health and	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU The supplied driving simulators should adhere to the occupational 	
	Attributes Occupational Health and	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU The supplied driving simulators should adhere to the occupational safety and standards in terms of its 	
	Attributes Occupational Health and	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU The supplied driving simulators should adhere to the occupational safety and standards in terms of its operations so that safety is not compromised. 	
	Attributes Occupational Health and	 The driving simulators should be inclusive of the following: hardware (Printer / results device) audio-visual, computer software and be mutually compatible to assure a complete functioning system. Fitted with 2500 kilowatt generator Mobile aircon 4000BTU The supplied driving simulators should adhere to the occupational safety and standards in terms of its operations so that safety is not 	

		electrical component in compliance	
		with accepted voltages and provision	
		for protection against lightning should	
		be made i.e. earth leakage	
		requirements	
		The division closed from the solution of the	
3	The Performance Report for each lesson	The driving simulator should specify	
		the number of lessons programmed	
		in the system, starting with very basic	
		lessons and progressing to more	
		advanced lessons with automated	
		traffic.	
		 The learner has to progress through the lessons sequentially in order to move to the next level. 	
		 The lessons should be locked and only unlocked when the previous 	
		lesson has been completed successfully.	
		Each lesson should have predefined	
		learning outcomes and the learner be	
		instructed to follow these instructions	
		and then get assessed against	
		performing the instructions correctly	
		as per the desired lesson outcomes.	
		• The results of the learner's	
		performance in each lesson should	
		be stored and the facilitator should be	
		able to access the learner's progress	
		and the results being achieved for	
		each lesson.	
4	Facilitator / Tutor	The bidder shall provide the following	
	Training	training modules to the facilitators / tutors:	
		Product knowledge training on the	
		driving simulators to operate the	
		driving simulators and coach the	
		learner-drivers using the simulators;	
		and operational level maintenance of	
		the simulators;	
		·	

	T		
5	Management Reports	 Theory training on the National Road Traffic Act No. 93 of 1996 and the K53 Driving Standards in relation to all road traffic regulations; and Facilitation of the simulator based training to the learners / beneficiaries Each Driving simulator must be able to generate business intelligence report i.e. number of students tested, passed, 	
		failed, areas of focus, etc.	
6	Delivery and commissioning	• The bidder shall specify Delivery Lead Time to produce the simulators and specify further time after delivery to complete the acceptance testing and handover to the RTMC.	
7	Maintenance and Support	The bidder should provide on-site repair and maintenance of the driving simulators system, and this service should be provided within a reasonable period i.e. 48 hours of a service call, excluding weekends and holidays.	
8	Simulation Scenarios	 The driving simulator should have the following scenarios (Not limited): Driving on gravel roads, Driving on tarred roads, Driving in rainy conditions and wet surfaces, Driving in mist / fog, Driving at both day and night, Driving in rural/urban environments, Driving in residential/densely populated areas, and All scenarios should reflect South African road conditions 	
9	Simulation Requirements	 The Driving Simulator must meet the following requirements: Built-in K53 test computer system, A 180 degree view of high resolution screens, A motion platform or no motion 	

	1		· · · · · · · · · · · · · · · · · · ·
		 platform Voice narration, a dynamic force feedback steering wheel, A driver's seat and pedals, 	
		• computer capability to give a	
		driver's assessment report per individual,	
		• Functionality to analyse results for	
		each driving lesson,	
		Provide a management feedback	
		report (Performance report for	
		each lesson) on driver training	
		with established trends, and	
		The sedan / LDV unit to have three	
		screens.	
10	Support plan / model	RTMC will be a single point of contact	
		for incident resolution and request	
		fulfilment. Incidents resolution targets	
		will be defined in service level agreement	
		with RTMC relevant business unit. The	
		successful bidder will be expected to	
		have capacity to provide the necessary	
		on-going support.	
		Since simulators shall be deployed at	
		different provinces bidder is expected to	
		cater for such. As part of the offering,	
		the supplier must provide the following:	
		• Training for the RTMC instructor/s	
		(numbers to be agreed upon,	
		Training for troubleshooting for first maintenance,	
		• 5-year maintenance support for	
		hardware and software, and	
		• Training to RTMC IT group to do	
		first line support on the software	
		and future upgrades.	
		Describe the software support &	

maintenance and process methodologies currently used in the organisation. This should include but not be limited to processes such as software development lifecycle, release strategy, release implementation planning, version control, testing, user acceptable testing, and end user and technical training. Identify supporting tools and methods used to manage these processes.

A sample Software Support and Maintenance Agreement should be included as proposal A appendix B

- Describe the hardware support & maintenance processes and methodologies in use within your organization.A sample Hardware Support and Maintenance Agreement should be included as proposal Appendix C
- Guarantees and Warranties The Proponent should provide details of all guarantees and warranties that the accompany its solution. At a minimum, these must include a warranty that the solution will meet or exceed any performance and reliability standards included in its response to this RFP for the entire period that it is being maintained by the proponent.

			1
		Describe the professional services	
		you offer. Include the size of your	
		professional services	
		organization and how you will	
		collaboratively work with RTMC	
		and other RTMC Business Units.	
11	Manufacturing	The bidder's quality management	
	Requirements	process and procedures should be	
		aligned to ISO 39001 and SABS	
		processes and procedures. All document	
		templates and guidelines detailing the	
		processes, procedure and activity	
		definitions for each phase should be	
		made available upon request.	
12	Lifecycle of simulators	The bidder shall specify a minimum	
		warranty period up to the original	
		equipment manufacturers warranty	
		period provided the systems are used in	
		the manner they are designed for.	
13	Maintenance Plan	The bidder must make provision for the	
		Maintenance Plan, which must be linked	
		with the lifecycle of the simulator. The	
		Plan must be able to indicate the	
		intervals at which the simulators will be	
		serviced.	
		The standard warranty support offering	
		include:	
		Support hours / days availability, contact	
		methods, prioritization, incident response	
		(acknowledgement of incident receipt)	
		and resolution targets (fixed or	
		workaround applied). RTMC resolution	
		targets are prioritized based on impact	
		(mission critical, business critical,	
		business support) and urgency (number	
		of users affected or how quickly service	

		must be restored). These elements inform priority. Propose an optional support solution that would allt ow RTMC to achieve its SLA targets where the vendor is responsible for incident
14	Quality Assurance	resolution.The bidder's quality managementprocess and procedures should bealigned to ISO 39001 and SABSprocesses and procedures
15	Period of the contract	5 years for maintenance / After sales support

SECTION: 3

ANNEXURE AND STANDARD BIDDING DOCUMENTS See the attached SBD forms (All SBD forms must be signed)

ANNEXURE AND STANDARD BIDDING DOCUMENTS

DOCUMENT	DESCRIPTION
BDGI	Bid Documents General Information
Annexure 1	Invitation to Bid (SBD 1)
Annexure 2	Acceptance of Bid Conditions and Bidder's Structure
Annexure 3	Declaration of Interest (SBD 4)
Annexure 4	Declaration of Bidder's Past Supply Chain Management Practices (SBD 8)
Annexure 5	Certificate of Independent Bid Determination (SBD 9)
Annexure 6	Pricing Schedule (SBD 3.3)
Annexure 7	Preference Points Claim Forms (SBD 6.1)

BIDDING DOCUMENTS : GENERAL INFORMATION

- 1. The bidding forms are drawn up so that certain essential information is to be furnished in a specific manner. Any additional particulars shall be furnished in the enclosed questionnaire(s) or in a separate annexure.
- 2. The bidding forms should not be retyped or redrafted but photocopies may be prepared and used. Additional offers may be made for any item, but only on a photocopy of the page in question. Additional offers made in any other manner may be disregarded.
- **3.** Bidding forms not filled in using a computer and printer shall be completed in black ink.
- 4. Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.
- 5. The forms in respect of Preference Points Claim, if attached, shall be completed and submitted with the completed Bid.
- 6. Firm bid prices and delivery periods are preferred. Consequently bidders shall clearly state whether prices and delivery periods will remain firm for the duration of the contract or not.
- 7. If non-firm prices are submitted, this fact should be clearly stated in the bidding documents.
- 8. Where items are specified in detail, the specifications from an integral part of the bidding document and bidders shall indicate in the space provided whether the items offered are to specification or not.
- **9.** In respect of the paragraphs where the items offered are strictly to specification, bidders shall insert the words "as specified".

- **10.** In cases where the items are not to specification, the deviations from the specifications shall be indicated.
- **11.** The bid prices shall be given in the units shown.
- **12.** All prices shall be quoted in South African currency.